

References

1. Corsetti M, Whorwell P. The global impact of IBS: time to think about IBS-specific models of care? *Therapeutic advances in gastroenterology*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5598808/>. Published September 2017. Accessed April 9, 2019.
2. Varjú P, Farkas N, Hegyi P, et al. Low fermentable oligosaccharides, disaccharides, monosaccharides and polyols (FODMAP) diet improves symptoms in adults suffering from irritable bowel syndrome (IBS) compared to standard IBS diet: A meta-analysis of clinical studies. *PloS one*. <https://www.ncbi.nlm.nih.gov/pubmed/28806407>. Published August 14, 2017. Accessed April 9, 2019.
3. Cozma-Petruț A, Loghin F, Miere D, Dumitrașcu DL. Diet in irritable bowel syndrome: What to recommend, not what to forbid to patients! *World journal of gastroenterology*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5467063/>. Published June 7, 2017. Accessed April 9, 2019.
4. National Institute of Health and Care Excellence. Recommendations | Irritable bowel syndrome in adults: diagnosis and management | Guidance. NICE. <https://www.nice.org.uk/guidance/cg61/chapter/1-Recommendations#dietary-and-lifestyle-advice>. Accessed April 11, 2019.
5. Böhn L, Störsrud S, Liljebo T, et al. Diet Low in FODMAPs Reduces Symptoms of Irritable Bowel Syndrome as Well as Traditional Dietary Advice: A Randomized Controlled Trial. *Gastroenterology*. 2015;149(6). doi:10.1053/j.gastro.2015.07.054
6. Aziz I, Trott N, Briggs R, North JR, Hadjivassiliou M, Sanders DS. Efficacy of a Gluten-Free Diet in Subjects With Irritable Bowel Syndrome-Diarrhea Unaware of Their HLA-DQ2/8 Genotype. *Clinical Gastroenterology and Hepatology*. 2016;14(5). doi:10.1016/j.cgh.2015.12.031
7. Eswaran S, Chey WD, Jackson K, Pillai S, Chey SW, Han-Markey T. A Diet Low in Fermentable Oligo-, Di-, and Monosaccharides and Polyols Improves Quality of Life and Reduces Activity Impairment in Patients With Irritable Bowel Syndrome and Diarrhea. *Clinical Gastroenterology and Hepatology*. 2017;15(12). doi:10.1016/j.cgh.2017.06.044
8. Halmos EP, Power VA, Shepherd SJ, Gibson PR, Muir JG. A Diet Low in FODMAPs Reduces Symptoms of Irritable Bowel Syndrome. *Gastroenterology*. 2014;146(1). doi:10.1053/j.gastro.2013.09.046

9. Hustoft TN, Hausken T, Ystad SO, et al. Effects of varying dietary content of fermentable short-chain carbohydrates on symptoms, fecal microenvironment, and cytokine profiles in patients with irritable bowel syndrome. *Neurogastroenterology & Motility*. 2016;29(4). doi:10.1111/nmo.12969
10. Shahbazkhani B, Sadeghi A, Malekzadeh R, et al. Non-Celiac Gluten Sensitivity Has Narrowed the Spectrum of Irritable Bowel Syndrome: A Double-Blind Randomized Placebo-Controlled Trial. *Nutrients*. 2015;7(6):4542-4554. doi:10.3390/nu7064542
11. Vazquez-Roque MI, Camilleri M, Smyrk T, et al. A Controlled Trial of Gluten-Free Diet in Patients With Irritable Bowel Syndrome-Diarrhea: Effects on Bowel Frequency and Intestinal Function. *Gastroenterology*. 2013;144(5). doi:10.1053/j.gastro.2013.01.049